# LIST OF CONTENTS


VOLUME 32 NUMBER 1 — 1989

| | | |
|---|---|---|
| **M. L. Shapiro, D. K. Simon, D. S. Olton, F. H. Gage III, O. Nilsson** and **A. Björklund** | Intrahippocampal grafts of fetal basal forebrain tissue alter place fields in the hippocampus of rats with fimbria–fornix lesions | 1 |
| **S. C. Mangel, M. Ariel** and **J. E. Dowling** | D-Aspartate potentiates the effects of both L-aspartate and L-glutamate on carp horizontal cells | 19 |
| **H. Ikeda, C. D. Kay** and **J. Robbins** | Properties of excitatory amino acid receptors on sustained ganglion cells in the cat retina | 27 |
| **J. W. Geddes, S. M. Cooper, C. W. Cotman, S. Patel** and **B. S. Meldrum** | *N*-Methyl-D-aspartate receptors in the cortex and hippocampus of baboon (*Papio anubis* and *Papio papio*) | 39 |
| **J. T. Hackett, S. L. Cochran** and **L. J. Greenfield Jr** | Quantal transmission at Mauthner axon target synapses in the goldfish brainstem | 49 |
| **A. Janetzko, H. Zimmermann** and **W. Volknandt** | Intraneuronal distribution of a synaptic vesicle membrane protein: antibody binding sites at axonal membrane compartments and *trans*-Golgi network and accumulation at nodes of Ranvier | 65 |
| **T. Kaneko, K. Itoh, R. Shigemoto** and **N. Mizuno** | Glutaminase-like immunoreactivity in the lower brainstem and cerebellum of the adult rat | 79 |
| **T. Takeda** and **K. Maekawa** | Transient direct connection of vestibular mossy fibers to the vestibulocerebellar Purkinje cells in early postnatal development of kittens | 99 |
| **P. van Mier, J. Armstrong** and **A. Roberts** | Development of early swimming in *Xenopus laevis* embryos: myotomal musculature, its innervation and activation | 113 |
| **M. V. Ugrumov, E. V. Proshlyakova** and **A. Sapronova** | Development of the hypothalamic 5-hydroxytryptamine system during ontogenesis in rats: uptake and release of 5-hydroxytryptamine *in vitro* | 127 |
| **I. Reisert, V. Han, S. Hartwig, G. Ahnert-Hilger** and **Ch. Pilgrim** | Rapid maturation of synaptic functions of prenatal serotoninergic neurons in short-term cultures: absence of sex differences and hormone effects | 133 |
| **T. Wichmann, N. Limberger** and **K. Starke** | Release and modulation of release of serotonin in rabbit superior colliculus | 141 |
| **S. Kemplay** and **K. E. Webster** | A quantitative study of the projections of the gracile, cuneate and trigeminal nuclei and of the medullary reticular formation to the thalamus in the rat | 153 |
| **K. A. Sharkey, J. A. Sobrino, F. Cervero, A. Varro** and **G. J. Dockray** | Visceral and somatic afferent origin of calcitonin gene-related peptide immunoreactivity in the lower thoracic spinal cord of the rat | 169 |
| **A. Lesur, P. Gaspar, C. Alvarez** and **B. Berger** | Chemoanatomic compartments in the human bed nucleus of the stria terminalis | 181 |
| **M. H. Joseph, H. Hodges** and **J. A. Gray** | Lever pressing for food reward and *in vivo* voltammetry: evidence for increases in extracellular homovanillic acid, the dopamine metabolite, and uric acid in the rat caudate nucleus | 195 |
| **M. A. Ariano** | Long-term changes in striatal $D_1$ dopamine receptor distribution after dopaminergic deafferentation | 203 |

| | | |
|---|---|---|
| **I. J. Mitchell, C. E. Clarke, S. Boyce, R. G. Robertson, D. Peggs, M. A. Sambrook** and **A. R. Crossman** | Neural mechanisms underlying parkinsonian symptoms based upon regional uptake of 2-deoxyglucose in monkeys exposed to 1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine | 213 |
| **S. M. Jamieson** and **M. C. Harris** | Stimulation of carotid body chemoreceptors does not influence the discharge of A1 neurons projecting to the forebrain | 227 |
| **B. Mazet, J. P. Miolan, J. P. Niel, Y. Julé** and **C. Roman** | Modulation of synaptic transmission in the rabbit coeliac ganglia by gastric and duodenal mechanoreceptors | 235 |
| **D. L. Barber, A. M. J. Buchan, S. E. Leeman** and **A. H. Soll** | Canine enteric submucosal cultures: transmitter release from neurotensin-immunoreactive neurons | 245 |
| **R. Amann, J. Donnerer** and **F. Lembeck** | Capsaicin-induced stimulation of polymodal nociceptors is antagonized by Ruthenium Red independently of extracellular calcium | 255 |
| **A. D. Kondratyev, E. E. Zotova, B. V. Loginov, M. L. Tsirenina, E. I. Melnik** and **E. S. Severin** | Production and immunohistochemical characterization of primary cultures of human embryo brain cells | 261 |
| **A. H. S. Hassan, O. F. X. Almeida, Ch. Gramsch** and **A. Herz** | Immunocytochemical demonstration of opioid receptors in selected rat brain areas and neuroblastoma × glioma hybrid (NG108-15) cells using a monoclonal anti-idiotypic antibody | 269 |
| SOFTWARE SURVEY SECTION | | I |
| VOLUME 32 NUMBER 2 | | 1989 |
| **M. Österlund, B. Fontaine, A. Devillers-Thiery, B. Geoffroy** and **J.-P. Changeux** | Acetylcholine receptor expression in primary cultures of embryonic chick myotubes—I. Discoordinate regulation of $\alpha$-, $\gamma$- and $\delta$-subunit gene expression by calcitonin gene-related peptide and by muscle electrical activity | 279 |
| **J. Kirilovsky, A. Duclert, B. Fontaine, A. Devillers-Thiery, M. Österlund** and **J.-P. Changeux** | Acetylcholine receptor expression in primary cultures of embryonic chick myotubes—II. Comparison between the effects of spinal cord cells and calcitonin gene-related peptide | 289 |
| **J. Jiménez-Castellanos** and **A. M. Graybiel** | Compartmental origins of striatal efferent projections in the cat | 297 |
| **J. M. Burgunder** and **W. S. Young III** | Distribution, projection and dopaminergic regulation of the neurokinin B mRNA-containing neurons of the rat caudate-putamen | 323 |
| **C. Waeber** and **J. M. Palacios** | Serotonin-1 receptor binding sites in the human basal ganglia are decreased in Huntington's chorea but not in Parkinson's disease: a quantitative *in vitro* autoradiography study | 337 |
| **C.-F. Zhou, Y. Li** and **G. Raisman** | Embryonic entorhinal transplants project selectively to the deafferented entorhinal zone of adult mouse hippocampi, as demonstrated by the use of Thy-1 allelic immunohistochemistry. Effect of timing of transplantation in relation to deafferentation | 349 |
| **Y. Nakagawa** and **M. Baudry** | Dissociation between changes in glutamate receptor binding sites and their coupling to phosphatidylinositol metabolism following intrahippocampal colchicine injection | 363 |

| | | |
|---|---|---|
| **K. Ellrén** and **A. Lehmann** | Calcium dependency of *N*-methyl-D-aspartate toxicity in slices from the immature rat hippocampus | 371 |
| **B. B. Stanfield** | The distribution of hippocampal and spinal projecting cells in the locus coeruleus of tottering mice | 381 |
| **E. R. Korpi** and **M. Uusi-Oukari** | $GABA_A$ receptor-mediated chloride flux in brain homogenates from rat lines with differing innate alcohol sensitivities | 387 |
| **A. Malgaroli, P. DeCamilli** and **J. Meldolesi** | Distribution of $\alpha$latrotoxin receptor in the rat brain by quantitative autoradiography: comparison with the nerve terminal protein, synapsin I | 393 |
| **M. Takemura, H. Kiyama, H. Fukui, M. Tohyama** and **H. Wada** | Distribution of the $\omega$-conotoxin receptor in rat brain. An autoradiographic mapping | 405 |
| **P. L. Woodhams** and **M. Webb** | A developmentally regulated axonal glycoprotein (7-8D2 antigen) with a restricted distribution in mature rat brain | 417 |
| **D. V. Pow** and **J. F. Morris** | Dendrites of hypothalamic magnocellular neurons release neurohypophysial peptides by exocytosis | 435 |
| **Gong Ju** and **Shaojun Liu** | The relationship of substance P-immunoreactive nerve fibers to thyrotropes and corticotropes in the pars distalis of the anterior pituitary in the monkey | 441 |
| **M. Lamacz, C. Hindelang, M. C. Tonon, H. Vaudry** and **M. E. Stoeckel** | Three distinct thyrotropin-releasing hormone-immunoreactive axonal systems project in the median eminence–pituitary complex of the frog *Rana ridibunda*. Immunocytochemical evidence for co-localization of thyrotropin-releasing hormone and mesotocin in fibers innervating pars intermedia cells | 451 |
| **M. A. Matthews, T. V. Hernandez, A. I. Romanska** and **K. D. Hoffman** | Golgi and immunocytochemical analysis of neurons in trigeminal subnucleus interpolaris: correlations with cellular localization of enkephalin | 463 |
| **R. A. Leslie, K. M. Murphy** and **H. A. Robertson** | Nodose ganglionectomy selectively reduces muscarinic cholinergic and delta opioid binding sites in the dorsal vagal complex of the cat | 481 |
| **C. O'Brien, C. J. Woolf, M. Fitzgerald, R. M. Lindsay** and **C. Molander** | Differences in the chemical expression of rat primary afferent neurons which innervate skin, muscle or joint | 493 |
| **J. Lang** and **R. Schulz** | Chronic opiate receptor activation *in vivo* alters the level of G-protein subunits in guinea-pig myenteric plexus | 503 |
| **M. M. L. Tan** and **A. R. Harvey** | The cholinergic innervation of normal and transplanted superior colliculus in the rat: an immunohistochemical study | 511 |
| **H. Bernstein-Goral** and **M. C. Bohn** | Phenylethanolamine *N*-methyltransferase-immunoreactive terminals synapse on adrenal preganglionic neurons in the rat spinal cord | 521 |
| **H. Koike, H. Matsumoto** and **Y. Umitsu** | Selective axonal transport in a single cholinergic axon of *Aplysia*—role of colchicine-resistant microtubules | 539 |
| SOFTWARE SURVEY SECTION | | I |

VOLUME 32 NUMBER 3 1989

COMMENTARY

**J. Sawynok** and **M. I. Sweeney** — The role of purines in nociception — 557

RESEARCH PAPERS

**J. D. Levine** and **Y. O. Taiwo** — Involvement of the mu-opiate receptor in peripheral analgesia — 571

**Y. O. Taiwo, L. K. Bjerknes, E. J. Goetzl** and **J. D. Levine** — Mediation of primary afferent peripheral hyperalgesia by the cAMP second messenger system — 577

**S. M. Louis, A. Jamieson, N. J. W. Russell** and **G. J. Dockray** — The role of substance P and calcitonin gene-related peptide in neurogenic plasma extravasation and vasodilatation in the rat — 581

**K. L. R. Jansen, R. L. M. Faull** and **M. Dragunow** — Excitatory amino acid receptors in the human cerebral cortex: a quantitative autoradiographic study comparing the distributions of [$^3$H]TCP, [$^3$H]glycine, L-[$^3$H]glutamate, [$^3$H]AMPA and [$^3$H]kainic acid binding sites — 587

**M. S. Lidow, P. S. Goldman-Rakic, D. W. Gallager, D. H. Geschwind** and **P. Rakic** — Distribution of major neurotransmitter receptors in the motor and somatosensory cortex of the rhesus monkey — 609

**F. Pedata, P. L. Di Patre, M. G. Giovannini, M. Pazzagli** and **G. Pepeu** — Cholinergic and noradrenergic denervations decrease labelled purine release from electrically stimulated rat cortical slices — 629

**E. Carboni** and **G. Di Chiara** — Serotonin release estimated by transcortical dialysis in freely-moving rats — 637

**M. Kokaia, P. Kalén, J. Bengzon** and **O. Lindvall** — Noradrenaline and 5-hydroxytryptamine release in the hippocampus during seizures induced by hippocampal kindling stimulation: an *in vivo* microdialysis study — 647

**H. Kaba, A. Rosser** and **B. Keverne** — Neural basis of olfactory memory in the context of pregnancy block — 657

**G. Olmos, F. Naftolin, J. Perez, P. A. Tranque** and **L. M. Garcia-Segura** — Synaptic remodeling in the rat arcuate nucleus during the estrous cycle — 663

**M. Sallanon, M. Denoyer, K. Kitahama, C. Aubert, N. Gay** and **M. Jouvet** — Long-lasting insomnia induced by preoptic neuron lesions and its transient reversal by muscimol injection into the posterior hypothalamus in the cat — 669

**D. F. Wozniak, G. R. Stewart, S. Finger** and **J. W. Olney** — Comparison of behavioral effects of nucleus basalis magnocellularis lesions and somatosensory cortex ablation in the rat — 685

**G. Ransmayr, P. Cervera, E. Hirsch, M. Ruberg, L. B. Hersh, C. Duyckaerts, J.-J. Hauw, C. Delumeau** and **Y. Agid** — Choline acetyltransferase-like immunoreactivity in the hippocampal formation of control subjects and patients with Alzheimer's disease — 701

**C. R. Abraham, D. J. Selkoe, H. Potter, D. L. Price** and **L. C. Cork** — $\alpha_1$-Antichymotrypsin is present together with the $\beta$-protein in monkey brain amyloid deposits — 715

**N. E. J. Berman** and **B. R. Payne** — Modular organization of ON and OFF responses in the cat lateral geniculate nucleus — 721

**D. P. M. Northmore** — Quantitative electrophysiological studies of regenerating visuotopic maps in goldfish—I. Early recovery of dimming sensitivity in tectum and torus longitudinalis — 739

| | | |
|---|---|---|
| **D. P. M. Northmore** | Quantitative electrophysiological studies of regenerating visuotopic maps in goldfish—II. Delayed recovery of sensitivity to small light flashes | 749 |
| **C. Gotti, A. Esparis Ogando** and **F. Clementi** | The α-bungarotoxin receptor purified from a human neuroblastoma cell line: biochemical and immunological characterization | 759 |
| **D. L. Cameron** and **A. D. Crocker** | Localization of striatal dopamine receptor function by central injection of an irreversible receptor antagonist | 769 |
| **K. Sugiyama, A. Brunori** and **M. L. Mayer** | Glial uptake of excitatory amino acids influences neuronal survival in cultures of mouse hippocampus | 779 |
| **J. Tiihonen, M. Kajola** and **R. Hari** | Magnetic mu rhythm in man | 793 |
| **S. G. Spence** and **J. A. Robson** | An autoradiographic analysis of neurogenesis in the chick retina *in vitro* and *in vivo* | 801 |
| **G. E. Duncan, O. Brüstle, C. Heiss, G. R. Breese** and **W. E. Stumpf** | Topographical assessment of accumulated radioactivity from [$^{14}$C]2-deoxyglucose and [6-$^{14}$C]glucose in rat forebrain at different survival periods | 813 |
| **S. Alaranta, H. Uusitalo, E. Klinge, A. Palkama** and **N. O. Sjöstrand** | Histochemical demonstration of nerve cell bodies in the retractor penis muscle and the penile artery of the bull | 823 |
| SOFTWARE SURVEY SECTION | | I |